

Interference Search Notes

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	537	((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) with (data transaction information write\$4) with (storage volume memory disk tape drive)) with ((first and second) near3 (node host device computer client controller))). clm.	US-PGPUB	OR	ON	2007/11/09 11:46
L2	62	((modify\$4 chang\$4 alter\$5 adjust\$4 modification tun\$4) with (memory buffer) with (pool availabl\$5) with (size number)).clm.	US-PGPUB	OR	ON	2007/11/09 11:47
L3	0	1 and 2	US-PGPUB	OR	ON	2007/11/09 11:48
L4	537	((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) with (data transaction information write\$4) with (storage volume memory disk tape drive)) with ((first and second) near3 (node host device computer client controller))). clm.	US-PGPUB	OR	ON	2007/11/09 11:46
L5	265	((modify\$4 chang\$4 alter\$5 adjust\$4 modification tun\$4) with (memory buffer) with (pool availabl\$5)).clm.	US-PGPUB	OR	ON	2007/11/09 11:47
L6	0	1 and 5	US-PGPUB	OR	ON	2007/11/09 11:48

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6919	(storage near3 technologies).as.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/11/09 10:24
L2	155	1 and (replicat\$4 duplicat\$4 back?up) with (data files)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/11/09 10:25
L3	835	1 and ((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) with (data transaction information write\$4))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/11/09 10:26
L4	16	1 and ((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) with (data transaction information write\$4) with network)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/11/09 10:26
S1	6169	710/52,56.ccls. or 709/226,248.ccls. or 714/1,6,20.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 08:49
S2	1475	S1 and ((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 echo\$5 back?up) with (data transaction information write\$4) with (storage volume memory disk tape drive))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 14:58
S3	50	S2 and (buffer descriptor) with pool	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 08:59
S4	841	S2 and (buffer descriptor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 08:55

EAST Search History

S5	1591	S1 and ((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 echo\$5 back?up mirror\$4) with (data transaction information write\$4) with (storage volume memory disk tape drive))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 08:58
S6	52	S5 and (buffer descriptor) with pool	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 08:59
S7	14	"6658540".did. or "6625623".did. or "6601187".did. or "6049809".did. or "4432057".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 09:20
S8	19471	(modify\$4 modification alter\$5 chang\$5) with (resource memory buffer) with (characteristic rate amount number size frequency locality) with (writ\$5 stor\$5 updat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:44
S9	139959	((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) with (data transaction information write\$4) with (storage volume memory disk tape drive))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:40
S10	2373	S9 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 14:32
S11	49924	((replicat\$5 duplicat\$5 copy\$5 back?up) with (data transaction information write\$4) with (storage volume memory disk tape drive))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 14:32
S12	1208	S11 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 14:32
S13	1108	S12 and @ad<"20030722"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 07:20

EAST Search History

S14	6193	710/52,56.ccls. or 709/226,248.ccls. or 714/1,6,20.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 14:34
S15	44	S13 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 14:34
S16	1531	buffer\$3 near5 tun\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 14:49
S17	88	S16 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 14:49
S18	44097	((replicat\$5 copy\$5 back?up) with (data transaction information write\$4) with (storage volume memory disk tape drive))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:43
S19	21254	(modify\$4 modification alter\$5 chang\$5 tun\$4) with (resource memory buffer) with (characteristic rate amount number size frequency locality) with (writ\$5 stor\$5 updat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:44
S20	1105	S18 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:45
S21	1010	S20 and @ad<"20030722"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:47
S22	672	S21 and (log\$5 history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:46

EAST Search History

S23	118	S21 and (allocat\$5 near3 (resource buffer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:47
S24	130	S20 and (allocat\$5 near3 (resource buffer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:48
S25	257	S20 and (allocat\$5 near3 (resource buffer memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 15:48
S26	2	"5920701".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:08
S27	778	(modify\$4 chang\$4 alter\$5 adjust\$4 modification tun\$4) with (memory buffer) with (pool availabl\$5) with (size number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 08:58
S28	132	S27 and (replicat\$4 back?up copy\$4 mirror) with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 10:04
S29	132	S27 and (replicat\$4 back?up copy\$4 mirror\$4) with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 08:59
S30	5	S27 and ((replicat\$4 back?up mirror) with data).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 10:04
S31	25	S27 and ((replicat\$4 back?up mirror) with data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 10:07
S32	1	"6625623".did. and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 10:08

EAST Search History

S33	1	"4791492".pn. and (sheet near3 size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 16:58
S34	1	"4791492".pn. and sbd	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 16:58
S35	4761	(daughter near3 (board card))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:26
S36	2223	(mother near3 (board card)) and (daughter near3 (board card))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:27
S37	150	S36 and flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:29
S38	485	(daughter near3 (board card)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:29
S39	8	S38 and flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:29
S40	2	"6625623".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 15:42
S41	2	"6192480".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 16:21
S42	814	(adjust\$4 modify\$4 program\$5) with (sleep hibernat\$4) with (power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 16:22

EAST Search History

S43	500	(adjust\$4 modify\$4 program\$5) with (sleep hibernat\$4) with mode with (power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 16:22
S44	48	(adjust\$4 modify\$4 program\$5) near3 (sleep hibernat\$4) near3 mode near3 (power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 16:35
S45	155	error near3 check\$4 near3 (power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 16:29
S46	29	(error near3 check\$4) with ((conserv\$5 regulat\$4 reduc\$4) near3 (power))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 16:29
S47	5	(adjust\$4 modify\$4 programable) near3 (sleep hibernat\$4) near3 mode near3 (power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 16:35
S48	7	automatic\$5 with (modify\$4 chang\$5 increase decrease) with ((memory buffer) near3 pool)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/23 20:05
S49	2	"6064668".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/23 20:05
S50	2	"6625623".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 12:23
S51	53889	((replicat\$5 copy\$5 back?up) with (data transaction information write\$4) with (storage volume memory disk tape drive))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 12:28

EAST Search History

S52	24570	(modify\$4 modification alter\$5 chang\$5 tun\$4) with (resource memory buffer) with (characteristic rate amount number size frequency locality) with (writ\$5 stor\$5 updat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 12:28
S53	1384	S51 and S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 12:28
S54	348	S53 and (allocat\$5 near3 (resource buffer memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 12:28
S55	2	"6625623".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 08:52
S56	8044	710/52,56.ccls. or 709/226,248.ccls. or 714/1,6,20.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 14:58
S57	2142	S56 and ((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 echo\$5 back?up mirror\$4) with (data transaction information write\$4) with (storage volume memory disk tape drive))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 14:58
S58	166853	((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) with (data transaction information write\$4) with (storage volume memory disk tape drive))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 14:59
S59	1775	((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) with (data transaction information write\$4) with (storage volume memory disk tape drive)) with ((first and second) near3 (node host device computer client controller))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 15:03

EAST Search History

S60	0	((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) with (data transaction information write\$4) with (storage volume memory disk tape drive)) with ((first and second) near3 (node host device computer client controller)) with ((buffer memory) near3 pool)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 15:04
S61	555	((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) with (data transaction information write\$4) with (storage volume memory disk tape drive)) with ((first and second) near3 (node host device computer client controller)) with (memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 15:13
S62	33	((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) with (data transaction information write\$4) with (storage volume memory disk tape drive)) with ((first and second) near3 (node host device computer client controller)) with (buffer memory) with (manag\$4 allocat\$4 reservat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 15:29
S63	49	((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) with (data transaction information write\$4) with (storage volume memory disk tape drive)) with ((first and second) near3 (node host device computer client controller)) with (buffer memory) with (manag\$6 allocat\$4 reservat\$4 modify modificat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 16:00
S64	118464	((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) near3 (program process software agent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 16:04
S65	313	((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) near3 (program process software agent)) with (allocat\$4 assign\$4 reserv\$6) with (memory buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 16:05
S66	70	((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) near3 (program process software agent)) with (allocat\$4 assign\$4 reserv\$6) with (memory buffer) with (node workstation host computer device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 17:11

EAST Search History

S67	29834	((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) near3 (program process software agent)).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 17:13
S68	2439	((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) near3 (program process software agent) with (host node computer)).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 17:48
S69	63	S68 and ((allocat\$4 assign\$4 reserv\$5) near3 (memory buffer)).	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 17:28
S70	22	((replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) near3 (program process software agent) with ((first and second) near3 (host node computer))).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 07:17
S71	735	remote near3 (replicat\$5 duplicat\$5 copy\$5 migrat\$5 reproduc\$5 back?up) near3 (program process software agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 07:18
S72	318	S71 and ((first primary) and (second\$4 back?up fail?over) with (host controller node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 07:19
S73	201	S72 and (@ad<="20030722" or @rlad<="20030722")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 08:53
S74	52	((first and second) near3 node) with failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 08:53
S75	42	S74 and (@ad<="20030722" or @rlad<="20030722")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 08:53

EAST Search History

S76	2	"6625623".pn.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2007/10/17 12:53
-----	---	---------------	---	----	----	------------------